

References

1. Punjabi NM. The epidemiology of adult obstructive sleep apnea. *Proc Am Thorac Soc.* 2008;5(2):136–143.
2. Young T, Palta M, Dempsey J, et al. The occurrence of sleep-disordered breathing among middle-aged adults. *N Engl J Med.* 1993;328(17):1230–1235.
3. Epstein LJ, Kristo D, Strollo PJ Jr, et al. Clinical guideline for the evaluation, management and long-term care of obstructive sleep apnea in adults. *J Clin Sleep Med.* 2009;5(3):263–276.
4. Fernandes JFR, Araújo LS, Kaiser SE, Sanjuliani AF, Klein MRST. The effects of moderate energy restriction on apnoea severity and CVD risk factors in obese patients with obstructive sleep apnoea. *Br J Nutr.* 2015;114(12):2022–2031.
5. Gilardini L, Lombardi C, Redaelli G, et al. Glucose tolerance and weight loss in obese women with obstructive sleep apnea. *PLOS One.* 2013;8(4):e61382.
6. Hasler G, Buysse DJ, Klaghofer R, et al. The association between short sleep duration and obesity in young adults: a 13-year prospective study. *Sleep.* 2004;27(4):661–666.
7. Reid KJ, Baron KG, Zee PC. Meal timing influences daily caloric intake in healthy adults. *Nutr Res.* 2014;34(11):930–935.
8. Garaulet M, Gómez-Abellán P, Alburquerque-Béjar JJ, Lee YC, Ordovás JM, Scheer FAJL. Timing of food intake predicts weight loss effectiveness. *Int J Obes.* 2013;37(4):604–611.
9. Bandín C, Scheer FAJL, Luque AJ, et al. Meal timing affects glucose tolerance, substrate oxidation and circadian-related variables: a randomized, crossover trial. *Int J Obes.* 2015;39(5):828–833.
10. Gill S, Panda S. A smartphone app reveals erratic diurnal eating patterns in humans that can be modulated for health benefits. *Cell Metab.* 2015;22(5):789–798.
11. Crispim CA, Zimberg IZ, dos Reis BG, Diniz RM, Tufik S, de Mello MT. Relationship between food intake and sleep pattern in healthy individuals. *J Clin Sleep Med.* 2011;7(6):659–664.
12. Trakada G, Steiropoulos P, Zarogoulidis P, et al. A fatty meal aggravates apnea and increases sleep in patients with obstructive sleep apnea. *Sleep Breath.* 2014;18(1):53–58.
13. Cao Y, Wittert G, Taylor AW, Adams R, Shi Z. Associations between macronutrient intake and obstructive sleep apnoea as well as self-reported sleep symptoms: results from a cohort of community dwelling Australian men. *Nutrients.* 2016;8(4):207.
14. World Health Organization. *Obesity: Preventing and managing the global epidemic.* Report of a WHO consultation on obesity. WHO Technical Report Series no. 894. Geneva, Switzerland: WHO; 2000.
15. Whitworth JA; World Health Organization, International Society of Hypertension Writing Group. World Health Organization (WHO)/ International Society of Hypertension (ISH) statement on management of hypertension. *J Hypertens.* 2003;21(11):1983–1992.
16. Buysse DJ, Reynolds CF, Monk TH, Berman SR, Kupfer DJ. The Pittsburgh Sleep Quality Index: a new instrument for psychiatric practice and research. *Psychiatry Res.* 1989;28(2):193–213.
17. Johns MW. A new method for measuring daytime sleepiness: the Epworth sleepiness scale. *Sleep.* 1991;14(6):540–545.
18. Chalder T, Berflowitz G, Pawlikowska T, et al. Development of fatigue scale. *J Psychosom Res.* 1993;37(2):147–153.
19. Iber C, Ancoli-Israel S, Chesson AL Jr, Quan SF; for the American Academy of Sleep Medicine. *The AASM Manual for the Scoring of Sleep and Associated Events: Rules, Terminology and Technical Specifications.* 1st ed. Westchester, IL: American Academy of Sleep Medicine; 2007.

20. American Academy of Sleep Medicine. *International Classification of Sleep Disorders*. 3rd ed. Darien, IL: American Academy of Sleep Medicine; 2014.
21. Tufik S, Santos-Silva R, Taddei JA, Bittencourt LR. Obstructive sleep apnea syndrome in the São Paulo Epidemiologic Sleep Study. *Sleep Med*. 2010;11(5):441–446.
22. Netzer NC, Stoohs RA, Netzer CM, Clark K, Strohl KP. Using the Berlin Questionnaire to identify patients at risk for the sleep apnea syndrome. *Ann Intern Med*. 1999;131(7):485–491.
23. Selem SSC, Carvalho AM, Verly-Junior E, et al. Validade e reprodutibilidade de um questionário de frequência alimentar para adultos de São Paulo, Brasil. *Rev Bras Epidemiol*. 2014;17(4):852–859.
24. Willett WC, Howe GR, Kushi LW. Adjustment for total energy intake in epidemiologic studies. *Am J Clin Nutr*. 1997;65(4):1220S–1228S.
25. Matsudo S, Araújo T, Matsudo V, et al. International Physical Activity Questionnaire (IPAQ): study of validity and reliability in Brazil. *Brazilian J Phys Activity Health*. 2001;6:5–18.
26. Vgontzas AN, Tan TL, Bixler EO, Martin LF, Shubert D, Kales A. Sleep apnea and sleep disruption in obese patients. *Arch Intern Med*. 1994;154(15):1705–1711.
27. Dollander M. Etiology of adult insomnia. *Encephale*. 2002;28(6 Pt 1):493–502.
28. Ramadan W, Dewasmes G, Petitjean M, et al. Sleep apnea is induced by a high-fat diet and reversed and prevented by metformin in non-obese rats. *Obesity (Silver Spring)*. 2007;15(6):1409–1418.
29. Imayama I, Prasad B. Role of leptin in obstructive sleep apnea. *Ann Am Thorac Soc*. 2017;14(11):1607–1621.
30. Garaulet M, Gómez-Abellán P. Timing of food intake and obesity: a novel association. *Physiol Behav*. 2014;134:44–50.
31. Carskadon MA, Dement WC. Monitoring and staging human sleep. In: Kryger MH, Roth T Dement WC, eds. *Principles and Practice of Sleep Medicine*. 5th ed. St. Louis, MO: Elsevier Saunders; 2011:16–26.
32. Redline S, Sotres-Alvarez D, Loredo J, et al. Sleep-disordered breathing in Hispanic/Latino individuals of diverse backgrounds. The Hispanic Community Health Study/Study of Latinos. *Am J Respir Crit Care Med*. 2014;189(3):335–344.
33. Chihara Y, Akamizu T, Azuma M, et al. Among metabolic factors, significance of fasting and postprandial increases in acyl and desacyl ghrelin and the acyl/desacyl ratio in obstructive sleep apnea before and after treatment. *J Clin Sleep Med*. 2015;11(8):895–905.
34. Weikel JC, Wichniak A, Ising M, et al. Ghrelin promotes slow-wave sleep in humans. *Am J Physiol Endocrinol Metab*. 2003;284(2):E407–415.
35. Kluge M, Schüssler P, Bleninger P, et al. Ghrelin alone or co-administered with GHRH or CRH increases non-REM sleep and decreases REM sleep in young males. *Psychoneuroendocrinology*. 2008;33(4):497–506.
36. Hansen K, Sickelmann F, Pietrowsky R, Fehm HL, Born J. Systemic immune changes following meal intake in humans. *Am J Physiol*. 1997;273(2Pt2):R548–R553.
37. Iraki L, Bogdan A, Hakkou F, Amrani N, Abkari A, Touitou Y. Ramadan diet restriction modify the circadian time structure in humans. Study on plasma gastrin, insulin, glucose and calcium and on gastric pH. *J Clin Endocrinol Metab*. 1997;82(4):1261–1273.
38. Buguet A, Cespuglio R, Radomski MW. Sleep and stress in man: an approach through exercise and exposure to extreme environments. *Can J Physiol Pharmacol*. 1998;76(5):553–561.
39. Roky R, Chapotot F, Hakkou F, Benchekroun MT, Buguet A. Sleep during Ramadan intermittent fasting. *J Sleep Res*. 2001;10(4):319–327.
40. Yajima K, Seya T, Iwayama K, et al. Effects of nutrient composition of dinner on sleep architecture and energy metabolism during sleep. *J Nutr Sci Vitaminol*. 2014;60(2):114–121.

41. Krueger MJ, Takahashi S. Thermoregulation and sleep. Closely linked but separable. *Ann N Y Acad Sci*. 1997;813:281–286.
42. Murphy PJ, Campbell SS. Night-time drop in body temperature: a physiological trigger for sleep onset? *Sleep*. 1997;20(7):505–511.
43. Smith A, Maben A, Brockman P. Effects of evening meals and caffeine on cognitive performance, mood and cardiovascular functioning. *Appetite*. 1994;22(1):57–65.
44. Qasrawi SO, Pandi-Perumal SR, BaHammam AS. The effect of intermittent fasting during Ramadan on sleep, sleepiness, cognitive function, and circadian rhythm. *Sleep Breath*. 2017;21(3):577–586.
45. Katayose Y, Tasaki M, Ogata H, Nakata Y, Tokuyama K, Satoh M. Metabolic rate and fuel utilization during sleep assessed whole-body indirect calorimetry. *Metabolism*. 2009;58(7):920–926.
46. Dewasmes G, Cohen-Adad F, Koubi H, Le Maho Y. Sleep changes in longterm fasting geese in relation to lipid and protein metabolism. *Am J Physiol*. 1984;247(4 Pt 2):663–671.
47. MacFadyen UM, Oswald I, Lewis SA. Starvation and human slow-wave sleep. *J Appl Physiol*. 1973;35(3):391–394.
48. Hasler G, Buysse DJ, Klaghofer R, et al. The association between short sleep duration and obesity in young adults: a 13-year prospective study. *Sleep*. 2004;27(4):661–666.
49. Driver HS, Shulman I, Baker FC, Buffenstein R. Energy content of the evening meal alters nocturnal body temperature but not sleep. *Physiol Behav*. 1999;68(1–2):17–23.
50. Sleep-related breathing disorders in adults: recommendations for syndrome definition and measurement techniques in clinical research. The Report of an American Academy of Sleep Medicine Task Force. *Sleep*. 1999;22(5):667–689.